

List of Hazardous Waste Characteristic Tests

Toxicity Characteristic Leaching Procedure (TCLP)

Parameters	Limit (mg/L)
Arsenic	5.0
Barium	100.0
Benzene	0.5
Cadmium	1.0
Carbon Tetrachloride	0.5
Chlordane	0.03
Chlorobenzene	100.0
Chloroform	6.0
Chromium	5.0
o-Cresol	200.0 **
m-Cresol	200.0 **
p-Cresol	200.0 **
Cresol	200.0 **
2,4-D	10.0
1,4-Dichlorobenzene	7.5
1,2-Dichlorethane	0.5
1,1-Dichloroethylene	0.7
2,4-Dinitrotoluene	0.13 *
Endrin	0.02
Heptochlor (and its Hydroxide)	0.008
Hexachlorobenzene	0.13 *
Hexachlorobutadiene	0.5
Hexachloroethane	3.0
Lead	5.0
Lindane	0.4

Mercury	0.2
Methoxychlor	10.0
Methyl Ethyl Keytone	200.0
Nitrobenzene	2.0
Pentachlorophenol	100.0
Pyridine	5.0 *
Selenium	1.0
Silver	5.0
Tetrachloroethylene	0.7
Toxaphene	0.5
Trichloroethylene	0.5
2,4,5-Trichlorophenol	400.0
2,4,6-Trichlorophenol	2.0
2,4,5-TP (silvex)	1.0
Vinyl chloride	0.2

* Quantitation limit is greater than the calculated regulatory level. The quantitation limit therefore becomes the regulatory level.

** If o-,m-, and p- cresol concentrations cannot be differentiated, the total cresol (D026) concentration is used. The regulatory level of total cresol is 200 mg/L.

Paint Filter Test **No liquid must pass in first 5 minutes**
Equivalent to 18% solids or greater

Ignitability **Flash point less than 140 degrees F**

Corrositivity **pH between 2.0 and 12.5**

Reactivity
Not a Class A explosive
Reactive cyanide less than 250 HCN mg/kg
Reactive sulfides less than 500 mg/kg H₂S

Others
Indicators
PCBs 50mg/kg
Volatile organics
Other organics
BTX (Benzene, Toluene, Ethyl benzene, Xylene)